J. of Adv. Res. in Materials Design with Nanostructure Applications
Volume 2, Print Issue 1 - 2026, Pg. No. 11-16
Peer Reviewed Journal

Review Article

Laser and Plasma-Based Surface Modification Techniques for Next-Generation Coating Systems

Jayesh Prajapati

Researcher, Department of Civil Engineering, Guru Nanak Dev Engineering College, Ludhiana, Punjab, India

I N F O

E-mail Id:
jayeshp@gmail.com

How to cite this article:
Prajapati J. Laser and Plasma-Based Surface Modification Techniques for Next-Generation Coating Systems. *J Adv Res Mater Des Nano Appl* 2026; 2(1): 11-16.

Date of Submission: 2026-01-08
Date of Acceptance: 2026-03-14

A B S T R A C T

Surface modification technologies play a crucial role in enhancing the performance, durability, and functionality of engineering materials. Among these, laser and plasma-based techniques have emerged as advanced, precise, and environmentally sustainable methods for developing next-generation coating systems. These techniques enable controlled modification of surface morphology, chemistry, and microstructure, leading to improved adhesion, wear resistance, corrosion protection, and multifunctional behavior. This paper reviews recent advancements in laser and plasma-based surface modification methods, including laser cladding, laser remelting, plasma-enhanced chemical vapor deposition (PECVD), and plasma surface functionalization. The study highlights process mechanisms, structure–property relationships, performance enhancements, and industrial applications. Furthermore, emerging trends such as hybrid laser–plasma systems, nanostructured coatings, and sustainable processing approaches are discussed. The findings demonstrate that laser and plasma-based surface engineering offer significant potential for high-performance coating systems in aerospace, biomedical, automotive, and energy sectors.

Keywords: Surface modification, Laser surface engineering, Plasma surface treatment, Laser cladding, Laser remelting

Sample Copy

Introduction

Surface engineering has become an essential part of modern materials science, mainly because industries today need materials that can perform reliably under tough and demanding conditions. Sectors such as aerospace, automotive, biomedical, and energy require components that can resist wear, corrosion, extreme temperatures, and mechanical stress. Traditional surface treatment methods like electroplating and thermal spraying have been useful for many years, but they often come with drawbacks such as environmental concerns, weak bonding between coating and substrate, and limited precision in controlling surface properties. Because of these limitations, researchers and engineers are increasingly turning to more advanced techniques—especially laser and plasma-based surface modification methods.[1]

Laser-based surface modification works by directing a highly focused beam of energy onto a material's surface. This intense energy causes rapid heating, melting, or even vaporization in a very localized area. One of the biggest advantages of using lasers is that they allow precise control over where and how the material is modified, without affecting the rest of the component. This means the bulk properties remain unchanged while the surface

Copyright (c) 2026: Author(s). Published by Advanced Research Publications

is significantly improved. Techniques such as laser surface hardening, laser cladding, and laser texturing can enhance hardness, improve resistance to wear and corrosion, and create refined microstructures. Because the heating and cooling happen so quickly, the resulting surface often has a finer grain structure, which contributes to better performance.[2]

For example, in laser cladding, a coating material is melted along with a thin layer of the base material, creating a strong bond between the two. This makes it ideal for repairing damaged parts or extending the life of expensive components. Laser texturing, on the other hand, creates tiny patterns on the surface that can improve friction behavior, adhesion, or even how liquids interact with the surface. These capabilities make laser techniques highly valuable for precision applications and complex geometries.

Plasma-based techniques take a different approach. They use ionized gases—known as plasma—to interact with the material surface. Plasma contains a mix of charged particles that can modify surfaces through processes like coating, cleaning, or chemical treatment. Common methods include plasma spraying, plasma nitriding, and plasma-enhanced chemical vapor deposition (PECVD). These techniques are widely used to apply coatings, improve surface hardness, and enhance resistance to wear and fatigue.[3]

One of the key benefits of plasma processes is their flexibility. They can be used at relatively lower temperatures compared to many conventional methods, making them suitable for materials that might otherwise be damaged by heat. Plasma techniques also allow precise control over coating thickness, composition, and structure, which is especially important for advanced applications in electronics, optics, and medical devices. For instance, plasma nitriding introduces nitrogen into the surface layer, forming hard compounds that significantly improve durability.

The introduction of nanotechnology has taken these surface modification techniques to the next level. By creating coatings with structures at the nanoscale, it is possible to achieve properties that were previously difficult to obtain. Nanostructured coatings can offer higher hardness, better wear resistance, improved corrosion protection, and even special functions like antibacterial or self-cleaning behavior. Both laser and plasma methods can be fine-tuned to produce these advanced coatings with high precision.[4]

In recent years, researchers have also started combining laser and plasma techniques to take advantage of their individual strengths. These hybrid approaches can lead to better coating adhesion, improved efficiency, and more uniform surface properties. For example, plasma treatment can prepare a surface to better absorb laser energy, while laser processing can enhance the density and bonding of plasma-deposited coatings. Such combinations are opening new possibilities for multifunctional and high-performance coating systems.

Another important advantage of laser and plasma-based methods is their environmental friendliness. Unlike some traditional techniques, they often reduce or eliminate the use of harmful chemicals, produce less waste, and consume energy more efficiently. As industries increasingly focus on sustainable and eco-friendly manufacturing, these technologies are becoming even more relevant.[5,6,7,8]

Overall, laser and plasma-based surface modification techniques represent a major step forward in surface engineering. They offer a level of precision, control, and performance that traditional methods struggle to match. With ongoing advancements in materials science and nanotechnology, these techniques are expected to play a key role in developing the next generation of high-performance, durable, and sustainable coating systems.

Fundamentals of Surface Modification

Surface modification refers to the deliberate alteration of a material's surface properties without significantly affecting its bulk structure. This concept is fundamental in materials engineering because most interactions between a material and its environment—such as friction, corrosion, wear, and biological response—occur at the surface rather than in the bulk. By modifying only the outer layer, it is possible to enhance performance while retaining the core strength, toughness, and structural integrity of the material.

The primary objectives of surface modification are centered around improving both mechanical and functional characteristics. One of the key goals is enhancing adhesion and bonding strength, which ensures that coatings or layers applied to a surface remain intact under mechanical and thermal stresses. Strong interfacial bonding is especially important in layered systems used in aerospace and protective coatings.

Another major objective is improving wear and corrosion resistance. Materials used in harsh environments—such as marine, chemical processing, or high-temperature applications—are constantly exposed to degrading conditions. Surface modification techniques help create protective barriers that significantly extend the service life of components.

Enhancing surface hardness and fatigue life is also crucial, particularly for components subjected to repeated loading, such as gears, turbine blades, and engine parts. A harder surface reduces deformation and wear, while improved fatigue resistance helps prevent crack initiation and propagation.

Sample Copy

In addition to mechanical improvements, surface modification also targets functional properties. These include hydrophobicity (water-repelling behavior), hydrophilicity (water-attracting behavior), electrical conductivity, optical characteristics, and biocompatibility. Such properties are particularly important in advanced applications like biomedical implants, sensors, and microelectronics.

Laser and plasma-based techniques achieve these enhancements through controlled energy transfer and chemical interactions at the surface level. These methods allow precise tuning of surface composition, structure, and morphology, making them highly versatile tools in modern surface engineering.[8]

Laser-Based Surface Modification Techniques

Laser-based techniques are among the most advanced and versatile methods for surface modification. They rely on highly focused beams of energy that can be accurately controlled in terms of intensity, duration, and spatial distribution. This precision allows engineers to selectively modify surfaces with minimal impact on surrounding areas.

Laser Cladding

Laser cladding is a widely used process for depositing protective or functional coatings onto a substrate. In this technique, a laser beam melts a feedstock material—usually in powder or wire form—along with a thin layer of the substrate. This results in a metallurgical bond between the coating and the base material.

One of the major advantages of laser cladding is its ability to produce coatings with minimal dilution, meaning the coating retains its intended composition and properties. Additionally, the process allows for controlled microstructure formation, leading to improved mechanical performance.

Laser cladding is extensively used to enhance wear resistance, corrosion protection, and high-temperature stability, especially in industries such as aerospace, power generation, and oil and gas. It is also highly effective for repairing worn or damaged components, reducing the need for complete replacement.

Laser Remelting

Laser remelting involves re-heating and melting the surface layer of a material without adding any new material. This process helps eliminate surface defects such as pores, cracks, and inclusions that may have formed during manufacturing.

Due to rapid cooling after melting, the surface undergoes grain refinement, resulting in a denser and more uniform microstructure. This leads to significant improvements in hardness, fatigue strength, and corrosion resistance.

Laser remelting is particularly useful for improving the surface quality of cast or additively manufactured components, where surface imperfections are common.

Laser Surface Texturing

Laser surface texturing is used to create micro- and nano-scale patterns on a material's surface. These patterns can be precisely designed to achieve specific functional outcomes.

For example, textured surfaces can exhibit hydrophobic or superhydrophobic behavior, allowing water droplets to roll off easily. This is useful in self-cleaning surfaces and anti-icing applications. Similarly, surface texturing can reduce friction and wear in mechanical systems, improving efficiency and lifespan.

In biomedical applications, textured surfaces can enhance cell adhesion and growth, making them suitable for implants and tissue engineering. Additionally, surface texturing improves coating adhesion by increasing surface area and mechanical interlocking.

Laser Shock Peening

Laser shock peening is a surface strengthening technique that uses high-energy laser pulses to generate shock waves. These shock waves induce compressive residual stresses in the material's surface layer.

Compressive stresses are beneficial because they counteract tensile stresses that typically lead to crack formation. As a result, laser shock peening significantly improves fatigue life, crack resistance, and structural durability.

This technique is widely used in critical components such as aircraft turbine blades, automotive parts, and structural elements subjected to cyclic loading.

Overall, laser-based techniques offer unmatched precision and flexibility. By carefully adjusting process parameters, it is possible to tailor surface properties to meet specific application requirements, making these methods highly valuable in advanced engineering fields.

Plasma-Based Surface Modification Techniques

Plasma-based techniques utilize ionized gases containing energetic particles such as electrons, ions, and radicals. These particles interact with the material surface, causing physical and chemical changes that improve performance.

Plasma Surface Functionalization

Plasma surface functionalization involves modifying the chemical composition of a material's surface by introducing functional groups. This process improves properties such as wettability, adhesion, and biocompatibility.

For instance, plasma treatment can make a surface more hydrophilic, allowing better bonding with coatings, adhesives, or biological tissues. This is particularly useful

Sample Copy

in medical devices, polymer processing, and packaging industries.

The typically involves etching, cross-linking, and chemical activation, all of which contribute to improved surface performance without affecting the bulk material.)

PECVD is a widely used method for depositing thin films and coatings at relatively low temperatures. In this process, plasma enhances chemical reactions, enabling the formation of high-quality coatings with precise control over composition, thickness, and uniformity.

This technique is especially valuable in the electronics and semiconductor industries, where thin films with specific electrical and optical properties are required. It is also used to produce protective and decorative coatings.

Plasma spraying is a thermal coating process in which powdered materials are melted in a high-temperature plasma jet and then projected onto a substrate. Upon impact, the molten particles rapidly solidify, forming a dense and adherent coating.

This method is commonly used for applying ceramic and metallic coatings that provide excellent resistance to wear, corrosion, and high conditions. Applications include turbine blades, biomedical implants, and industrial machinery.

Cold Plasma Technology

Cold plasma operates at near-room temperatures, making it ideal for treating heat-sensitive materials such as polymers, textiles, and biological surfaces. Unlike high-temperature processes, cold plasma does not damage the substrate while still providing effective surface modification.

It is widely used for surface cleaning, activation, and sterilization, as well as for improving adhesion and coating performance. Its eco-friendly nature and low consumption make it increasingly popular in sustainable manufacturing.

Nanostructured and Functional Coatings

Nanostructured coatings represent a significant advancement in surface engineering, offering properties that are far superior to conventional coatings. These coatings have grain sizes in the nanometer range, which leads to unique mechanical, chemical, and functional characteristics.

One of the most notable advantages is enhanced hardness and wear resistance, resulting from the refined microstructure and increased grain boundary density. This makes nanostructured coatings ideal for high-performance mechanical applications.

They also provide improved corrosion protection, as their dense and uniform structure acts as an effective barrier against environmental attack. Additionally, these coatings allow precise control over surface energy and wettability, enabling the design of surfaces that are either water-repellent or water-attracting, depending on the application.

Nanostructured coatings can also exhibit advanced functionalities such as self-cleaning, anti-fouling, and antimicrobial behavior, which are particularly useful in healthcare, marine, and environmental applications.

The incorporation of nanoparticles—such as carbon nanotubes, graphene, and metal oxides—further enhances coating performance. These nanomaterials improve thermal stability, mechanical strength, and chemical resistance, making the coatings suitable for extreme operating conditions.

Laser and plasma-based techniques play a crucial role in fabricating these advanced coatings. Their ability to precisely control energy input and reaction conditions allows the formation of tailored nanostructures with desired properties.

Overall, the combination of laser and plasma technologies with nanostructured materials is transforming the field of surface engineering. These advancements are enabling the development of high-performance, multifunctional coatings that meet the evolving demands of modern industries.

Corrosion and Wear Resistance

One of the primary objectives of surface modification is to improve resistance to corrosion and wear. Laser and plasma-based coatings provide:

Enhanced barrier properties against environmental degradation

Laser-treated surfaces exhibit reduced roughness and improved corrosion resistance due to microstructural refinement. Plasma coatings, on the other hand, provide protective layers that prevent oxidation and chemical attack.

Coating Performance and Characterization

Once a coating is developed, it is essential to evaluate how well it performs under real-world conditions. The effectiveness of a coating is generally assessed based on its mechanical strength, chemical stability, and thermal resistance. These properties determine whether the coating can withstand wear, corrosion, temperature fluctuations, and long-term operational stress.

To understand these characteristics in detail, several advanced characterization techniques are used. Scanning Electron Microscopy (SEM) provides high-resolution images of the coating surface, helping researchers examine features such as grain structure, porosity, and cracks. This is particularly useful for understanding how uniform and defect-free a coating is.

Sample Copy

X-ray Diffraction (XRD) is used to analyze the crystalline structure of the coating. It helps identify phases present in the material and provides insights into how processing conditions influence structural properties. This is important because the phase composition often directly affects hardness, corrosion resistance, and thermal stability.

Atomic Force Microscopy (AFM) allows for surface analysis at the nanoscale. It provides detailed information about surface roughness and texture, which are critical for applications involving adhesion, friction, and wettability.

In addition, electrochemical testing is widely used to evaluate corrosion behavior. These tests simulate real environmental conditions to determine how well a coating can protect the underlying material from degradation.

Together, these techniques help establish a clear relationship between processing parameters, microstructure, and overall performance, enabling researchers to optimize coating design for specific applications.

Sustainable and Green Coating Technologies

With increasing awareness of environmental issues, there has been a strong push toward developing more sustainable coating technologies. Traditional coating processes often involve toxic chemicals, high energy consumption, and significant waste generation. In contrast, laser and plasma-based techniques offer cleaner and more efficient alternatives.

One of the major advantages of these advanced methods is the reduced use of hazardous chemicals, which minimizes environmental and health risks. Many plasma-based processes, for example, operate without solvents, making them inherently safer and more eco-friendly.

These techniques are also known for their energy efficiency, as they deliver energy directly to the surface in a controlled manner, avoiding unnecessary heat loss. Additionally, they generate minimal waste, since material usage is highly optimized and localized.

Another important benefit is the use of dry processing methods, especially in plasma technologies. This eliminates the need for liquid-based chemical treatments, reducing both pollution and post-processing requirements.

Overall, laser and plasma-based surface modification methods align well with modern sustainability goals, making them increasingly important in green manufacturing practices.

Multifunctional Coatings

Modern engineering applications often require coatings that can perform multiple roles simultaneously rather than just providing a single protective function. This has led to the development of multifunctional coatings, which combine several desirable properties into one integrated system.

For instance, some coatings are designed with self-healing capabilities, allowing them to repair minor cracks or damage automatically, thereby extending their service life. Others exhibit antimicrobial activity, making them suitable for healthcare environments where hygiene is critical.

Anti-fouling coatings are widely used in marine and industrial applications to prevent the accumulation of unwanted biological or chemical deposits on surfaces. Similarly, coatings with high thermal resistance are essential for components exposed to extreme temperatures, such as turbine blades and exhaust systems.

Laser and plasma-based techniques play a key role in creating these multifunctional coatings. Their precise control over material deposition and surface modification allows different functionalities to be integrated into a single coating layer or a layered structure. This not only improves performance but also reduces the need for multiple coating processes.

Industrial Applications

The practical importance of laser and plasma-based surface modification techniques is evident in their widespread use across various industries.

In the aerospace industry, components are exposed to extreme temperatures, high stress, and corrosive environments. Surface modification techniques are used to enhance fatigue resistance, thermal protection, and wear resistance of critical parts such as turbine blades and structural components.

Automotive

In the automotive sector, these techniques are applied to engine components, gears, and braking systems to improve durability, efficiency, and performance. Enhanced surface properties help reduce friction and wear, leading to longer service life and better fuel efficiency.

Biomedical

In biomedical applications, surface modification is crucial for improving the biocompatibility and osseointegration of implants. Techniques like plasma treatment and laser texturing help create surfaces that promote better interaction with biological tissues, leading to improved healing and implant stability.

Energy Sector

In the energy industry, particularly in power plants and turbines, coatings are used to protect components from corrosion, erosion, and high-temperature degradation. This ensures reliable performance and reduces maintenance costs over time.

Sample Copy

Emerging Trends and Future Directions

The field of surface modification is continuously evolving, with several emerging trends shaping its future. One of the most promising developments is the use of hybrid laser–plasma systems, which combine the strengths of both techniques to achieve superior coating quality and performance.

Another major advancement is the integration of artificial intelligence (AI) for process optimization. AI can analyze large datasets to identify optimal processing conditions, improving efficiency and consistency while reducing trial-and-error experimentation.

The combination of surface modification with additive manufacturing is also gaining attention. This integration allows for the simultaneous fabrication and surface enhancement of components, opening new possibilities for complex and customized designs.

Additionally, the development of smart and responsive coatings is an exciting area of research. These coatings can adapt to changes in their environment, such as temperature, pressure, or chemical exposure, providing dynamic and real-time functionality.

These innovations are expected to revolutionize coating technologies by enabling greater control, adaptability, and performance in advanced applications.

Conclusion

Laser and plasma-based surface modification techniques have established themselves as powerful and versatile tools in modern surface engineering. Their ability to precisely control surface structure, composition, and properties makes them highly effective for developing next-generation coating systems.

In addition to performance advantages, these techniques offer significant environmental benefits, aligning with the growing demand for sustainable manufacturing solutions. Their applications span a wide range of industries, from aerospace and automotive to biomedical and energy sectors.

As research continues to advance in areas such as nanostructured materials, hybrid processing methods, and intelligent coating systems, the potential of these technologies will only continue to grow. Ultimately, laser and plasma-based surface modification techniques are set to play a crucial role in shaping the future of high-performance, durable, and sustainable coating solutions.

References

1. Karkadakattil A. Laser surface modification of additively manufactured metals: mechanisms and performance enhancement. J Eng Appl Sci. 2026.
2. John M, Kuruveri UB, Menezes PL. Laser cladding-based surface modification of steels for extreme applications. Coatings. 2022.
3. Yao J, Zhang Q, Liu R, Wu G. Laser Applications in Surface Modification. Springer; 2022.
4. Vasanthan A, Kim H, Drukteinis S, Lacefield W. Implant surface modification using laser-guided coatings. J Prosthodont. 2008.
5. Cools P, Astoreca L, Tabaei PSE, et al. Plasma surface functionalization for advanced material interfaces. Appl Phys Rev. 2023.
6. Phan LT, Yoon SM, Moon MW. Plasma-based nanostructuring of polymers: A review. Polymers. 2017 Sep 5;9(9):417.
7. Amarnath M, Mohite S, Palaskar S. Surface modification of polypropylene using atmospheric plasma and graphene adhesion promotion using PECVD for conductive interfaces. Applied Surface Science. 2025 Nov 14:165119.
8. Das B, Kumar S, Choudhury B, Sinha SK, Ghosh A, Madan R. Next-Generation Surface Engineering: Trends in Coating and Cladding Technologies. InAdvanced Coating and Cladding Technologies (pp. 260-283). CRC Press.

Sample Copy